NUMONDO AMERICA, LP

STATE PARK ROAD

PROPERTY BOUNDARY

PROPOSED 20' SEWER LINE EASEMENT

PROPOSED 50' RIGHT OF WAY

PROPOSED 3" SCH 40 OR SDR26 PVC FORCEMAIN (MINIMUM SLOPE = .25"/FT)

PROPOSED 1,000 GALLON CONCRETE SEPTIC TANK

EXISTING 25' x 55' IN-GROUND SEEPAGE BED

PROPOSED 1,000 GALLON CONCRETE PUMP STATION

PROPOSED 1.5" FORCEMAIN (SCH40 OR SDR26 PVC)

PROPOSED 1,000 GALLON CONCRETE PUMP STATION

PROPOSED WASTEWATER DISPOSAL AREA EASEMENT FOR LOT 1

50' WETLANDS BUFFER

WELL ISOLATION ZONE

POSSIBLE 2,500 FT^2 4-5 BEDROOM RESIDENCE

PROPOSED 1" WATER LINE

EXISTING UNUSED SPRING

PROPOSED 1,000 GALLON CONCRETE SEPTIC TANK

WETLAND PERIMETER

PROPOSED WELL

POSSIBLE 2,500 FT^2 4-5 BEDROOM RESIDENCE

PROPOSED WELL & 1" WATER SERVICE LINE

EXISTING BARN

PROPOSED WELL & 20' WATER LINE EASEMENT

WELL ISOLATION ZONE

100'

SEE FIGURE 4

SEE FIGURE 2

LOT 4
9.46 ACRES

LOT 3
7.48 ACRES

CHARLES W. & GWEN D. ALLMON

GENERAL LOCATION MAP
SCALE: 1"=2,000'±

PROJECT LOCATION

LEGEND

- EXISTING GROUND CONTOUR
- EXISTING WATER LINE
- FORCE MAIN EASEMENT
- EDGE OF PAVEMENT
- EDGE OF GRAVEL DRIVE
- EXISTING BUILDING ENVELOPES
- EXISTING PROPERTY LINE
- ISOLATION ZONE
- TP-1/P-1 TEST PIT/PERCOLATION TEST
- WELL - DRILLED
- PROPOSED WELL - DRILLED

GRAPHIC SCALE
(IN FEET)
40 0 20 40 80 160
(1"=40')

THE CONTRACTOR SHALL NOTIFY "DIGSAFE" AT 1-888-DIG-SAFE PRIOR TO ANY EXCAVATION.

"I hereby certify that in the exercise of my reasonable professional judgment the design-related information submitted with this application is true and correct, and that the design included in this application for a permit complies with the Vermont Wastewater System and Potable Water Supply Rules and the Vermont Water Supply Rules."

Alan Huizenga Date
VT Professional Engineer #5905
Green Mountain Engineering, Inc.

"I hereby certify that in the exercise of my reasonable professional judgment the design-related information submitted with this application is true and correct, and that the design included in this application for a permit complies with the Vermont Wastewater System and Potable Water Supply Rules and the Vermont Water Supply Rules."

Stephen Revell, CPG Date
Licensed Class B Designer #178

LINCOLN APPLIED GEOLOGY, INC.
Environmental Consultants
163 Revell Drive (802) 453-4384
Lincoln, Vermont 05443 (802) 453-5399 (fax)
Web : www.lagvt.com E-Mail: lag@lagvt.com

Hinsdale Property
State Park Road
Charlotte, Vermont

Enlarged Site Plan of Lots 3 and 4

LAG PROJECT #	00266.6
DATE	May 21, 2010
SURVEYORS	-
DRAWN	S. Morrow
PLAN SHEET #	3