

SOIL TEST RESULTS

Client: Remo Pizzagalli

Date: June 27, 2017

TP6-1

0-8 Silt loam 5Y-3/3
8-16 Mottled silt loam, blocky
16-35 Very fine sandy loam, mottled, seeps @ 20

TP6-2

0-10 Silt loam 2.5Y-3/4, mottled @ 8
10-34 Very fine sandy loam, mottled, seeps @ 24

TP6-3

0-10 Silt loam, mottled @ 9
10-25 Mottled silt loam
25-38 Very fine sandy loam, mottled, saturated

TP6-4

0-20 Silt loam, mottled @ 9
20-36 Very fine sandy loam, mottled

TP6-5 thru 6-8

Same profile as TP6-4, mottled @ 9

TP6-9 and 6-10

0-31 Silt loam 2.5Y-4/3, mottles @ 10
31-38 Very fine sandy loam, mottled, seeps @ 36

TP6-11

0-10 Silt loam, blocky, mottled @ 9
10-33 Mottled very fine sandy loam, seeps @ 30

TP6-12 thru 6-14

Same profile as 6-11, mottled at 9, 9, 10, seeps at 30

TP6-15 (Additional tests east of proposed garage/warehouse)

0-12 Silt loam (see sieve analysis)
12-35 Mottled silt and silt loam

Pizzagalli Soil Tests

Page 2

TP6-16

Same profile as TP6-15, mottled @ 12

TP6-17

Same profile as TP6-15, mottled @ 14

TP6-18 - 21 (Adj. to Mutton Hill Road)

Silt and clay, mottled @ 6/7
